Media Information



Opel Astra Station Wagon: Technical Data Overview

Astra Station Wagon						
Gasoline engines		1.4 TWINPORT ECOTEC	1.6 TWINPORT ECOTEC	1.8 ECOTEC	2.0 Turbo ECOTEC	2.0 Turbo ECOTEC
Emissions standard compliance		Euro 4	Euro 4	Euro 4	Euro 4	Euro 4
Fuel		super unleaded	super unleaded	super unleaded	super unleaded	super unleaded
Number of cylinders		4	4	4	4	4
Displacement	in cm³	1364	1598	1796	1998	1998
Max. output	in kW (hp)	66 (90)	77 (105)	103 (140)	125 (170)	147 (200)
	at rpm	5600	6000	6300	5200	5400
Max. torque	in Nm	125	150	175 ¹⁾	250	262
	at rpm	4000	3900	3800	1950 – 4000	4200
Transmission						
5-speed manual		•	•	•	-	-
6-speed manual		-	-	-	•	•
5-speed Easytronic		-	0	-	-	-
4-speed automatic		_	-	0	-	-
Trailer load in kg						
Unbraked		640	650	660	710	710
Braked (10% gradient)		1100	1300	14002)	-	-
Braked (12% gradient)		900	1100	1300	14003)	14003)

 $^{^{1)}}$ 170 Nm in combination with automatic transmissions

^{2) 1500} kg for trailers with low aerodynamic drag such as horse and boat trailers, as well as transport trailers with up to 1.40 m total height, maximum 10% gradient

^{3) 1600} kg for trailers with low aerodynamic drag such as horse and boat trailers, as well as transport trailers with up to 1.40 m total height, maximum 12% gradient

^{• =} Standard, O = Optional, – = Not available



Astra Station Wagon					
Diesel engines		1.3 CDTI ECOTEC	1.9 CDTI ECOTEC	1.9 CDTI ECOTEC	1.9 CDTI ECOTEC
Emissions standard compliance		Euro 4	Euro 4	Euro 4	Euro 4
Fuel		diesel	diesel	diesel	diesel
Number of cylinders		4	4	4	4
Displacement	in cm³	1248	1910	1910	1910
Max. output	in kW (hp)	66 (90)	74 (100)	88 (120)	110 (150)
	at rpm	4000	3500	3500	4000
Max. torque	in Nm	200	260	280	320
	at rpm	1750 – 2500	1700 – 2500	2000 – 2750	2000 – 2750
Transmission					
6-speed manual		•	•	•	•
6-speed automatic		-	-	0	-
Trailer load in kg					
Unbraked		690	670	715	720
Braked (10% gradient)		14001)	_1)	_2)	_2)
Braked (12% gradient)		1300	1400	1400	1400

^{1) 1500} kg for trailers with low aerodynamic drag such as horse and boat trailers, as well as transport trailers with up to 1.40 m total height, maximum 10% gradient

All data refer to the European base model with standard equipment. The consumption data according to 1999/100/EU takes into consideration the vehicle's curb weight as stipulated by this regulation. Additional equipment can lead to slightly higher fuel consumption and therefore CO_2 exhaust emissions than the declared values. In addition, they can raise the vehicle's curb weight and in some cases also increase the gross vehicle weight, the maximum allowable axle loads and respectively reduce the permitted trailer load. Therefore the maximum speed may be decreased while acceleration time can be increased. The published performance figures are possible with the vehicle's curb weight excluding driver plus a 200 kilogram load allowance.

• = Standard, O = Optional, – = Not available

²⁾ 1600 kg for trailers with low aerodynamic drag such as horse and boat trailers, as well as transport trailers with up to 1.40 m total height, maximum 10% gradient



Astra Station Wagon						
	Driving performance		Fuel consumption (I/100 km) according to 1999/100/EU			
	Maximum speed in km/h	Acceleration from 0 – 100 km/h in seconds	Urban	Extra-urban	Combined	CO ₂ emissions in g/km
5-speed						
1.4	178	14.1	8.0	5.0	6.1	146
1.6	185	12.7	8.7 – 8.9	5.5 – 5.7	6.7 – 6.9	161 – 166
1.8	207	10.5	10.0 – 10.2	5.9 – 6.1	7.4 – 7.6	178 – 182
6-speed						
2.0 Turbo (125 kW)	217	8.9	12.9	6.9	9.1	218
2.0 Turbo (147 kW)	230	8.4	13.2	7.2	9.4	226
1.3 CDTI	172	14.1	6.2	4.0	4.8	130
1.9 CDTI (74 kW)	180	12.5	7.5	5.0	5.9	159
1.9 CDTI (88 kW)	193	10.7	7.5	5.0	5.9	159
1.9 CDTI (110 kW)	207	9.2	7.5	5.0	5.9	159
5-speed Easytronic						
1.6	185	13.7	8.6 – 8.8	5.4 – 5.6	6.6 – 6.8	158 – 163
4-speed automatic						
1.8	188	11.7	10.5 – 10.7	6.2 – 6.4	7.8 – 8.0	187 – 192
6-speed automatic						
1.9 CDTI (88 kW)	187	11.7	9.7	5.4	7.0	189



Astra Station Wagon	
Car dimensions in mm	
Length	4515
Width with extended / retracted exterior mirrors	2033 / 1804
Height (at curb weight)	1500
Wheelbase	2703
Track, front	1488
Track, rear	1488
Turning clearance in m	
Wall-to-wall	11.50
Curb-to-curb	11.10
Luggage compartment dimensions in mm	
Floor length to rear seat backs	1085
Floor length with rear seat backs folded forward	1819
Width at wheelarches	1088
Maximum width	1088
Height to top of rear seat backs	438
Height to ceiling (over rear axle)	862
Height of sill	591
Height trunk-lid opening	766
Width at waistline	1058
Luggage compartment capacity (I) according to ECIE	
Luggage compartment only, up to top of rear seat backs	500
Luggage compartment only, up to ceiling	770
With rear bench seat and rear seat backs folded forward, up to top of front seat backs	900
With rear bench seat and rear seat backs folded forward, up to ceiling	1590
Weight and axle load in kg	
Curb weight incl. driver (according to 70/156/EU)	1280¹)
Gross vehicle weight	1805¹)
Payload	525
Maximum axle load, front	8801)
Maximum axle load, rear	940
Maximum roof load ²⁾	1003)

Plus 20 kg in combination with air conditioning or electronic climate control
Under consideration of gross vehicle weight. For safety reasons it is recommended not to drive over 120 km/h with a roof load
In combination with roof rails (standard in Germany)